



TECHNICAL CATALOGUE 2017



FAUCETS CARBON

P. 02

FAUCET BASIN CARBON	P. 02
FAUCET BASIN TALL CARBON	P. 02
FAUCET BIDET CARBON	P. 03
WALL-MOUNTED FAUCET BASIN CARBON	P. 03
CONCEALED SHOWER 2 WAYS CARBON	P. 04
FAUCET BATH CARBON	P. 05
SHOWER MIXER 1 WAY CARBON	P. 05

FAUCETS CHROME

P. 06

FAUCET BASIN CHROME	P. 06
FAUCET BASIN TALL CHROME	P. 06
FAUCET BIDET CHROME	P. 07
WALL-MOUNTED FAUCET BASIN CHROME	P. 07
CONCEALED SHOWER 2 WAYS CHROME	P. 08
CONCEALED MIXER 3 WAYS CHROME	P. 08
FAUCET BATH CHROME	P. 09
SHOWER MIXER 1 WAY CHROME	P. 09
SINGLE LEVER SHOWER MIXER 1 WAY PURE	P. 10
SINGLE LEVER SHOWER MIXER 1 WAY TECHNO	P. 10
THERMOSTATIC 1 WAY PURE	P. 11
THERMOSTATIC 1 WAY TECHNO	P. 11

ACCESSORIES

P. 12

FLOW LIMITERS

P. 28

FLOW RATES

P. 32

INSTRUCTIONS

P. 36

COMPANY

P. 44



FAUCETS CARBON

BASIN FAUCET CARBON

- SPOUT PROJECTION 90 mm
- SPOUT HEIGHT 120 mm
- FLOW RATE: 12L/MIN
- WITH DRAINAGE
- CONNECTION HOSE LENGHT 400 mm
- CARBON

FBA.01.001.51N



WASCHTISCHARMATUR AUS CARBON


- AUSLADUNG 90 mm
- KÖRPERHÖHE 120 mm
- GEREGLTE DURCHLUSSMENGE 12L/MIN
- MIT ABLAUF
- VERBINDUNGSSCHLAUCH 400 mm
- CARBON

MITIGEUR DE LAVABO EN CARBONE

- PROJECTION DU JET 90 mm
- HAUTEUR DE JET 120 mm
- LIMITEUR DE DEBIT 12L/MIN
- AVEC ECOULEMENT
- LONGUEUR DU FLEXIBLE 400 mm
- CARBONE

RUBINETTO LAVABO CARBON

- DISTANZA AERATORE DALLA BASE RUBINETTO 90 mm
- DISTANZA AERATORE DAL CENTRO RUBINETTO 120 mm
- LIMITATORE DI PORTATA A 12L/MIN
- POP UP INCLUSO
- LUNGHEZZA FLESSIBILI 400 mm
- CARBON



BASIN FAUCET TALL CARBON

- SPOUT PROJECTION 190 mm
- SPOUT HEIGHT 165 mm
- FLOW RATE: 12L/MIN
- WITH DRAINAGE
- CONNECTION HOSE LENGHT 500 mm
- CARBON

FBT.01.001.51N



HOHE WASCHTISCHARMATUR AUS CARBON


- AUSLADUNG 190 mm
- KÖRPERHÖHE 165 mm
- GEREGLTE DURCHLUSSMENGE 12L/MIN
- MIT ABLAUF
- VERBINDUNGSSCHLAUCH 500 mm
- CARBON

MITIGEUR DE LAVABO HAUT EN CARBONE

- PROJECTION DU JET 190 mm
- HAUTEUR DE JET 165 mm
- LIMITEUR DE DEBIT 12L/MIN
- AVEC ECOULEMENT
- LONGUEUR DU FLEXIBLE 500 mm
- CARBONE

RUBINETTO LAVABO ALTO CARBON

- DISTANZA AERATORE DALLA BASE RUBINETTO 190 mm
- DISTANZA AERATORE DAL CENTRO RUBINETTO 165 mm
- LIMITATORE DI PORTATA A 12L/MIN
- POP UP INCLUSO
- LUNGHEZZA FLESSIBILI 500 mm
- CARBON



FAUCETS CARBON

FAUCET BIDET CARBON

- SPOUT PROJECTION 110 mm
- SPOUT HEIGHT 105 mm
- FLOW RATE: 12L/MIN
- WITH DRAINAGE
- CONNECTION HOSE LENGTH 400 mm
- CARBON

BIDET ARMATUR AUS CARBON


- AUSLADUNG 110 mm
- KÖRPERHÖHE 105 mm
- GEREGLTE DURCHLUSSMENGE 12L/MIN
- MIT ABLAUF
- VERBINDUNGSSCHLAUCH 400 mm
- CARBON

MITIGEUR DE BIDET EN CARBONE

- PROTECTION DU JET 110 mm
- HAUTEUR DE JET 105 mm
- LIMITEUR DE DEBIT 12L/MIN
- AVEC ECOULEMENT
- LONGUEUR DU FLEXIBLE 400 mm
- CARBONE

RUBINETTO BIDET CARBON

- DISTANZA AERATORE DALLA BASE RUBINETTO 110 mm
- DISTANZA AERATORE DAL CENTRO RUBINETTO 105 mm
- LIMITATORE DI PORTATA A 12L/MIN
- POP UP INCLUSO
- LUNGHEZZA FLESSIBILI 400 mm
- CARBON



WALL-MOUNTED FAUCET BASIN CARBON

- SINGLE LEVER BATH FAUCET
- 280 x 100 mm
- FLOW RATE: 12L/MIN
- CARBON

UNTERPUTZ ARMATUR AUS CARBON


- EINHEBEL-BADARMATUR
- 280 x 100 mm
- GEREGLTE DURCHLUSSMENGE 12L/MIN
- CARBON

MITIGUER DE LAVABO MURAL EN CARBONE

- ROBINET DE BAIN A LEVIER UNIQUE
- 280 x 100 mm
- LIMITEUR DE DEBIT 12L/MIN
- CARBONE

RUBINETTO LAVABO INCASSO CARBON

- RUBINETTO CON LEVA
- 280 x 100 mm
- LIMITATORE DI PORTATA A 12L/MIN
- CARBON



FBB.01.001.51N

FBC.01.001.51N



CONCEALED SHOWER 2 WAYS CARBON

- SINGLE LEVER CONCEALED MIXER
- 2-WAY DIVERTER
- FLOW RATE: 12L/MIN
- CARBON

FCD.01.001.51N

2 WEGE-UNTERPUTZ ARMATUR AUS CARBON


- UNTERPUTZ EINHEBELMISCHER
- 2-WEGE-UMSTELLER
- GEREGLTE DURCHFLUSSMENGE 12L/MIN
- CARBON

MITIGEUR DE DOUCHE ENCASTRE DEUX VOIES EN CARBONE

- MITIGEUR A LEVIER
- DERIVATION A DEUX VOIES
- LIMITEUR DE DEBIT 12L/MIN
- CARBONE

RUBINETTO INCASSO 2 VIE CARBON

- RUBINETTO INCASSO CON LEVA
- DEVIATORE 2 VIE
- LIMITATORE DI PORTATA AV 12L/MIN
- CARBON



FAUCETS CARBON

WALL-MOUNTED FAUCET BASIN CARBON

- SINGLE LEVER FAUCET
- SPOUT LENGTH 100 mm
- FLOW RATE: 12L/MIN
- CARBON

WANNENARMATUR AUS CARBON

- EINHEBELMISCHER
- KÖRPERLÄNGE 100 mm
- GEREGLTE DURCHLUFSSMENGE 12L/MIN
- CARBON


MITIGEUR MURAL BAIN/DOUCHE MONOCOMMANDE EN CARBONE

- ROBINET DE BAIN A LEVIER UNIQUE
- LONGUEUR DE JET 100 mm
- LIMITEUR DE DEBIT 12L/MIN
- CARBONE

RUBINETTO VASCA CARBON

- RUBINETTO CON LEVA
- LUNGHEZZA BECCO 100 mm
- LIMITATORE DI PORTATA A 20L/MIN
- CARBON

FBH.01.001.51N



SINGLE LEVER SHOWER MIXER 1 WAY CARBON

- DN 15 (G 1/2) FOR WALL INSTALLATION
- INTERNAL PARTS IN BRASS AND HOUSING IN CARBON WITH SCALDING PROTECTION
- CERAMIC DISC CARTRIDGE Ø35 mm
- S-CONNECTIONS
- CARBON

EINHEBELMISCHER CARBON

- DN 15 (G1/2") FÜR AUFPUTZMONTAGE
- INNENTEILE IN METALL UND DIE VERKLEIDUNG AUS CARBON MIT VERBRÜHUNGSSCHUTZ
- KERAMIKKARTUSCHE Ø 35MM
- S-ANSCHLÜSSE
- CARBON


ROBINET MONOCOMMANDE CARBONE

- DN 15 (G1/2") POUR FIXATION MURALE
- L'INTÉRIEUR EN LAITON ET L'EXTÉRIEUR EN CARBONE AVEC PROTECTION ANTI-BRULURE
- CARTOUCHE EN CERAMIC Ø 35MM
- RACCORDS EN S
- CARBONE

MISCELATORE MONO-COMANDO 1 VIA CARBON

- DN 15 (G 1/2) PER INSTALLAZIONE A MURO
- INTERNO IN OTTONE E SCOCCA ESTERNA IN CARBON PER UN TOTALE ISOLAMENTO TERMICO
- CARTUCCIA DISCHI CERAMICI Ø35 mm
- CONNESSIONE TRAMITE ECCENTRICI
- CARBON

FSL.001.51N



FAUCETS CHROME

FAUCET BASIN CHROME

- SPOUT PROJECTION 90 mm
- SPOUT HEIGHT 120 mm
- FLOW RATE: 12L/MIN
- WITH DRAINAGE
- CONNECTION HOSE LENGHT 400 mm
- CHROME

FBA.01.001.05N



WASCHTISCHARMATUR VERCHROMT


- AUSLADUNG 90 mm
- KÖRPERHÖHE 120 mm
- GEREGLTE DURCHLUFSMENGE 12L/MIN
- MIT ABLAUF
- VERBINDUNGSSCHLAUCH 400 mm
- CHROM

MITIGEUR DE LAVABO EN CHROME

- PROJECTION DU JET 90 mm
- HAUTEUR DE JET 120 mm
- LIMITEUR DE DEBIT 12L/MIN
- AVEC ECOULEMENT
- LONGUEUR DU FLEXIBLE 400 mm
- CHROME

RUBINETTO LAVABO CROMO

- DISTANZA AERATORE DALLA BASE RUBINETTO 90 mm
- DISTANZA AERATORE DAL CENTRO RUBINETTO 120 mm
- LIMITATORE DI PORTATA A 12L/MIN
- POP UP INCLUSO
- LUNGHEZZA FLESSIBILI 400 mm
- CROMO



FAUCET BASIN TALL CHROME

- SPOUT PROJECTION 190 mm
- SPOUT HEIGHT 165 mm
- FLOW RATE: 12L/MIN
- WITH DRAINAGE
- CONNECTION HOSE LENGHT 500 mm
- CHROME

FBT.01.001.05N



HOHE WASCHTISCHARMATUR VERCHROMT


- AUSLADUNG 190 mm
- KÖRPERHÖHE 165 mm
- GEREGLTE DURCHLUFSMENGE 12L/MIN
- MIT ABLAUF
- VERBINDUNGSSCHLAUCH 500 mm
- CHROM

MITIGEUR DE LAVABO HAUT EN CHROME

- PROJECTION DU JET 190 mm
- HAUTEUR DE JET 165 mm
- LIMITEUR DE DEBIT 12L/MIN
- AVEC ECOULEMENT
- LONGUEUR DU FLEXIBLE 500 mm
- CHROME

RUBINETTO LAVABO ALTO CROMO

- DISTANZA AERATORE DALLA BASE RUBINETTO 190 mm
- DISTANZA AERATORE DAL CENTRO RUBINETTO 165 mm
- LIMITATORE DI PORTATA A 12L/MIN
- POP UP INCLUSO
- LUNGHEZZA FLESSIBILI 500 mm
- CHROME



FAUCETS CHROME

FAUCET BIDET CHROME

- SPOUT PROJECTION 110MM
- SPOUT HEIGHT 105MM
- FLOW RATE: 12L/MIN
- WITH DRAINAGE
- CONNECTION HOSE LENGTH 400 MM
- CHROME

FBB.01.001.05N

BIDET ARMATUR VERCHROMT


- AUSLADUNG 110MM
- KÖRPERHÖHE 105MM
- GEREGLTE DURCHLUSSMENGE 12L/MIN
- MIT ABLAUF
- VERBINDUNGSSCHLAUCH 400 MM
- CHROM

MITIGEUR DE BIDET EN CHROME

- PROTECTION DU JET 110MM
- HAUTEUR DE JET 105MM
- LIMITEUR DE DEBIT 12L/MIN
- AVEC ECOULEMENT
- LONGUEUR DU FLEXIBLE 400 MM
- CHROME

RUBINETTO BIDET CROMO

- DISTANZA AERATORE DALLA BASE RUBINETTO 110 MM
- DISTANZA AERATORE DAL CENTRO RUBINETTO 105 MM
- LIMITATORE DI PORTATA A 12L/MIN
- POP UP INCLUSO
- LUNGHEZZA FLESSIBILI 400 MM
- CROMO



WALL-MOUNTED FAUCET BASIN CHROME

- SINGLE LEVER BATH FAUCET
- 280 x 100 mm
- FLOW RATE: 12L/MIN
- CHROME

FBC.01.001.05N

UNTERPUTZ ARMATUR VERCHROMT


- EINHEBEL-BADARMATUR
- 280 x 100 mm
- GEREGLTE DURCHLUSSMENGE 12L/MIN
- VERCHROMT

MITIGUER DE LAVABO MURAL EN CHROME

- ROBINET DE BAIN A LEVIER UNIQUE
- 280 x 100 mm
- LIMITEUR DE DEBIT 12L/MIN
- CHROME

RUBINETTO LAVABO INCASSO CROMO

- RUBINETTO CON LEVA
- 280 x 100 mm
- LIMITATORE DI PORTATA A 12L/MIN
- CROMO



FAUCETS CHROME

CONCEALED SHOWER 2 WAYS

- SINGLE LEVER CONCEALED MIXER
- 2-WAY DIVERTER
- FLOW RATE: 12L/MIN
- CHROME-PLATED

FCD.01.001.05N

2 WEGE-UNTERPUTZ ARMATUR VERCHROMT


- UNTERPUTZ EINHEBELMISCHER
- 2-WEGE-UMSTELLER
- GEREGLTE DURCHFLUSSMENGE 12L/MIN
- VERCHROMT

MITIGEUR DE DOUCHE ENCASTRE DEUX VOIES EN CHROME

- MITIGEUR A LEVIER
- DERIVATION A DEUX VOIES
- LIMITEUR DE DEBIT 12L/MIN
- CHROME

RUBINETTO INCASSO 2 VIE CROME

- RUBINETTO INCASSO CON LEVA
- DEVIATORE 2 VIE
- LIMITATORE DI PORTATA A 12L/MIN
- CROMO



CONCEALED SHOWER 3 WAYS

- SINGLE LEVER CONCEALED MIXER
- 3-WAY DIVERTER
- FLOW RATE: 12L/MIN
- CHROME-PLATED

FCT.001.05N

3 WEGE-UNTERPUTZ ARMATUR VERCHROMT



- UNTERPUTZ EINHEBELMISCHER
- 3-WEGE-UMSTELLER
- GEREGLTE DURCHFLUSSMENGE 12L/MIN
- VERCHROMT

MITIGEUR DE DOUCHE ENCASTRE DEUX VOIES EN CHROME

- MITIGEUR A LEVIER
- DERIVATION A TROIS VOIES
- LIMITEUR DE DEBIT 12L/MIN
- CHROME

RUBINETTO INCASSO 3 VIE CROMO

- RUBINETTO INCASSO CON LEVA
- DEVIATORE 3 VIE
- LIMITATORE DI PORTATA A 12L/MIN
- CROMO



FAUCETS CHROME

FAUCET BATH CHROME

- SINGLE LEVER FAUCET
- SPOUT LENGHT 100 mm
- FLOW RATE: 12L/MIN
- CHROME-PLATED

FBH.01.001.05N

WANNENARMATUR VERCHROMT


- EINHEBELMISCHER
- KÖRPERLÄNGE 100 mm
- GEREGLTE DURCHLUFSMENGE 12L/MIN
- VERCHROMT

MITIGEUR MURAL BAIN/DOUCHE MONOCOMMANDE EN CHROME

- ROBINET DE BAIN A LEVIER UNIQUE
- LONGUEUR DE JET 100 mm
- LIMITEUR DE DEBIT 12L/MIN
- CHROME

RUBINETTO VASCA CROMO

- RUBINETTO CON LEVA
- LUNGHEZZA BECCO 100 mm
- LIMITATORE DI PORTATA A 12L/MIN
- CROMO



SINGLE LEVER SHOWER MIXER 1 WAY CHROME

- SL MIXER, DN 15 (G 1/2) FOR WALL INSTALLATION
- BODY IN BRASS AND HOUSING IN ABS WITH SCALDING PROTECTION
- CERAMIC DISC CARTRIDGE Ø35 mm
- S-CONNECTIONS
- CHROME

FSL.001.05N

EINHEBELMISCHER VERCHROMT


- DN 15 (G1/2") FÜR AUFPUTZMONTAGE
- INNENTEILE IN METALL UND DIE VERKLEIDUNG AUS MIT VERBRÜHUNGSSCHUTZ
- KERAMIKKARTUSCHE Ø 35mm
- S-ANSCHLÜSSE
- VERCHROMT

ROBINET MONOCOMMANDE CHROME

- DN 15 (G1/2/) POUR FIXATION MURALE
- L'INTÉRIEUR EN LAITON ET L'EXTÉRIEUR EN ABS AVEC PROTECTION ANTI-BRULURE
- CARTOUCHE EN CERAMIC Ø 35mm
- RACCORDS EN S
- CHROME

MISCELATORE MONO-COMANDO 1 VIA CROMO

- MISCELATORE MONO-COMANDO, DN 15 (G 1/2) PER INSTALLAZIONE A MURO
- INTERNO IN OTTONE E SCOCCA ESTERNA IN ABS PER UN TOTALE ISOLAMENTO TERMICO
- CARTUCCIA DISCHI CERAMICI Ø35 mm
- CONNESSIONE TRAMITE ECCENTRICI
- CHROME



SINGLE LEVER SHOWER MIXER

SINGLE LEVER SHOWER MIXER 1 WAY PURE

- SL MIXER, DN 15 (G 1/2) FOR WALL INSTALLATION
- BODY IN BRASS
- FEEL COOL - NIKLES SAFETY HOUSING IN ABS WITH SCALDING PROTECTION
- CERAMIC DISC CARTRIDGE Ø35 mm
- S-CONNECTIONS
- CHROME

EINHEBELMISCHER PURE

- DN 15 (G1/2") FÜR AUFPUTZMONTAGE
- KÖRPER AUS MESSING
- FEEL COOL: NIKLES SICHERHEITSGEHÄUSE IN CARBON MIT VERBRÜHUNGSSCHUTZ
- KERAMIKKARTUSCHE Ø 35MM
- S-ANSCHLÜSSE
- VERCHROMT


ROBINET MONOCOMMANDE PURE

- DN 15 (G1/2/) POUR FIXATION MURALE
- COPRS EN LAITON
- FEEL COOL: PROTECTION DE SECURITE NIKLES AVEC PROTECTION ANTI-BRULURE
- CARTOUCHE EN CERAMIC Ø 35MM
- RACCORDS EN S
- CHROME

MISCELATORE MONO-COMANDO 1 VIA PURE

- MISCELATORE MONO-COMANDO, DN 15 (G 1/2) PER INSTALLAZIONE A MURO
- CORPO IN OTTONE
- FEEL COOL - SCOCCA ESTERNA IN ABS PER UN TOTALE ISOLAMENTO TERMICO
- CARTUCCIA DISCHI CERAMICI Ø35 mm
- CONNESSIONE TRAMITE ECCENTRICI
- CROMO

A53RU.SL1.001.05N



SINGLE LEVER SHOWER MIXER 1 WAY TECHNO

- SL MIXER, DN 15 (G 1/2) FOR WALL INSTALLATION
- BODY IN BRASS
- FEEL COOL - NIKLES SAFETY HOUSING IN ABS WITH SCALDING PROTECTION
- CERAMIC DISC CARTRIDGE Ø35 mm
- S-CONNECTIONS
- CHROME

EINHEBELMISCHER TECHNO

- DN 15 (G1/2") FÜR AUFPUTZMONTAGE
- KÖRPER AUS MESSING
- FEEL COOL: NIKLES SICHERHEITSGEHÄUSE IN CARBON MIT VERBRÜHUNGSSCHUTZ
- KERAMIKKARTUSCHE Ø 35MM
- S-ANSCHLÜSSE
- VERCHROMT


ROBINET MONOCOMMANDE TECHNO

- DN 15 (G1/2/) POUR FIXATION MURALE
- COPRS EN LAITON
- FEEL COOL: PROTECTION DE SECURITE NIKLES AVEC PROTECTION ANTI-BRULURE
- CARTOUCHE EN CERAMIC Ø 35MM
- RACCORDS EN S
- CHROME

MISCELATORE MONO-COMANDO 1 VIA TECHNO

- MISCELATORE MONO-COMANDO, DN 15 (G 1/2) PER INSTALLAZIONE A MURO
- CORPO IN OTTONE
- FEEL COOL - SCOCCA ESTERNA IN ABS PER UN TOTALE ISOLAMENTO TERMICO
- CARTUCCIA DISCHI CERAMICI Ø35 mm
- CONNESSIONE TRAMITE ECCENTRICI
- CROMO

A65RU.SL1.001.05N



THERMOSTATIC MIXER

THERMOSTATIC 1 WAY PURE / TECHNO ABS CHROME

- SHOWER THERMOSTATIC MIXER, DN 15 (G ½) FOR WALL MOUNTING WITH ANTI-SCALD DEVICE
- BRASS THERMOSTAT BODY
- FEEL COOL: NIKLES SAFETY HOUSING IN ABS WITH SCALDING PROTECTION
- HIGH QUALITY THERMOSTATIC CARTRIDGE WITH TEMPERATURE CONTROL, ANTI-SCALD AT 38° CELSIUS
- EASY SELECTOR: 35 mm., HIGH QUALITY, CERAMIC, 2-WAY, DYNAMIC DIVERTER
- S-CONNECTIONS
- CHROME-PLATED

THERMOSTATIC 1 WAY PURE / TECHNO CHROM

- BRAUSE-THERMOSTAT-BATTERIE, DN 15 (G ½) FÜR WANDAUFBAU MIT VERBRÜHUNGSSCHUTZ
- THERMOSTATKÖRPER MESSING
- FEEL COOL: NIKLES SICHERHEITSGEHÄUSE IN ABS MIT VERBRÜHUNGSSCHUTZ
- HOCHWERTIGE THERMOSTATKARTUSCHE MIT TEMPERATURWÄHLER, VERBRÜHUNGSSCHUTZ DURCH SICHERHEITSSPERRE BEI 38 GRAD
- EASY SELECTOR: HOCHWERTIGE 35 mm KERAMIK 2-WEGE- DYNAMISCHER UMSTELLKARTUSCHE
- S-ANSCHLÜSSE
- VERCHROMT

THERMOSTATIC 1 WAY PURE / TECHNO CHROME


- MITIGEUR THERMOSTATIQUE DOUCHE DN 15 (G ½) POUR FIXATION MURALE AVEC PROTECTION ANTI-BRÛLURE
- CORPS DU THERMOSTAT EN LAITON
- FEEL COOL: PROTECTION DE SÉCURITÉ NIKLES EN ABS AVEC PROTECTION ANTI-BRÛLURE
- CARTOUCHE THERMOSTATIQUE DE HAUTE QUALITÉ AVEC CONTRÔLE THERMIQUE, PROTECTION ANTI-BRÛLURE À 38° CELSIUS
- SÉLECTEUR PRATIQUE: INVERSEUR DYNAMIQUE 35 mm. DE HAUTE QUALITÉ EN CÉRAMIQUE AVEC 2 VOIES
- RACCORDS EN S
- CHROMÉ

THERMOSTATIC 1 WAY PURE / TECHNO CROMO

- MISCELATORE TERMOSTATICO DOCCIA, DN 15 (G ½) PER MONTAGGIO A PARETE CON PROTEZIONE ANTIUSTIONE
- CORPO TERMOSTATO IN OTTONE
- FEEL COOL: PROTEZIONE DI SICUREZZA NIKLES IN ABS CON PROTEZIONE ANTIUSTIONE
- CARTUCCIA TERMOSTATICA DI ALTA QUALITÀ CON CONTROLLO TERMICO, PROTEZIONE ANTIUSTIONE GRAZIE AL BLOCCO DI SICUREZZA A 38°
- PRATICO SELETTORE: DEVIATORE DINAMICO DA 35 mm. DI ALTA QUALITÀ IN CERAMICA CON DISPOSITIVO A 2 VIE
- RACCORDI A S
- CROMATO


A53RU.TH1.001.05N

PURE




A65RU.TH1.001.05N

TECHNO




FTB.001.51N

TOWEL BAR 45 cm CARBON
BADETUCHHALTER 45 cm CARBON
PORTE-SERIVETTE 45 cm EN CARBONE
PORTA ASCIUGAMANO 45 cm CARBON



FTH.001.51N

TOWEL HOLDER CARBON
HANDTUCHHALTER CARBON
PORTE-SERVIETTE EN CARBONE
PORTA ASCIUGAMANO CARBON




FPH.001.51N

TOILET PAPER HOLDER CARBON
PAPIERHALTER CARBON
PORTE-ROULEAU PAPIER EN CARBONE
PORTA ROTOLO CARBON




FBH.001.51N

TOWEL HOOK CARBON
HANDTUCHHAKEN CARBON
PORTE-SERVIETTE SIMPLE EN CARBONE
PORTA ACCAPATOIO CARBON




FSH.001.51N

SOAP DISH CARBON
SEIFENSCHALE CARBON
PORTE-SAVON EN CARBONE
PORTA SAPONE CARBON




FHB.001.51N

TOOTH BRUSH HOLDER CARBON
ZAHNBÜRSTENHALTER CARBON
PORTE-BROSSE A DENTS EN CARBONE
PORTA BICCHIERE CARBON




FHB.002.51N

TOOTH BRUSH HOLDER DUO CARBON
ZAHNBÜRSTENHALTER DUO CARBON
PORTE-BROSSE A DENTS DUO EN CARBONE
PORTA BICCHIERE DUO CARBON



FTT.001.51N


TOILET BRUSH HOLDER CARBON
WC BÜRSTENGARNITUR CARBON
PORTE-BALAI SUSPENDU EN CARBONE
PORTA SCOPINO CARBON



ACCESSORIES CHROME


FTB.001.05N

TOWEL BAR 45 cm CHROME
 BADETUCHHALTER 45 cm CHROM
 PORTE-SERIVETTE 45 cm EN CHROME
 PORTA ASCIUGAMANO 45 cm CROMO




FTH.001.05N

TOWEL HOLDER CHROME
 HANDTUCHHALTER CHROM
 PORTE-SERVIETTE EN CHROME
 PORTA ASCIUGAMANO CROMO




FPH.001.05N

TOILET PAPER HOLDER CHROME
 PAPIERHALTER CHROME
 PORTE-ROULEAU PAPIER EN CHROME
 PORTA ROTOLO CROMO




FBH.001.05N

TOWEL HOOK CHROME
 HANDTUCHHAKEN CHROME
 PORTE-SERVIETTE SIMPLE EN CHROME
 PORTA ACCAPATOIO CROMO




FSH.001.05N

SOAP DISH CHROME
 SEIFENSCHALE CHROM
 PORTE-SAVON EN CHROME
 PORTA SAPONE CROMO




FHB.001.05N

TOOTH BRUSH HOLDER CHROME
 ZAHNBÜRSTENHALTER CHROM
 PORTE-BROSSE A DENTS EN CHROME
 PORTA BICCHIERE CROMO




FHB.002.05N

TOOTH BRUSH HOLDER DUO CHROME
 ZAHNBÜRSTENHALTER DUO CHROME
 PORTE-BROSSE A DENTS DUO EN CHROME
 PORTA BICCHIERE DUO CHROME



FTT.001.05N

TOILET BRUSH HOLDER CHROME
 WC BÜRSTENGARNITUR CHROME
 PORTE-BALAI SUSPENDU EN CHROME
 PORTA SCOPINO CROMO



FAUCET DISPLAY

TABLE DISPLAY BASIN FAUCET CARBON

- FAUCET BASIN CARBON
- FAUCET BASIN TALL CARBON
- FAUCET BIDET CARBON

AUFSTELLER CARBON ARMATUREN

- WASCHTISCHARMATUR AUS CARBON
- HOHE WASCHTISCHARMATUR AUS CARBON
- BIDET ARMATUR AUS CARBON

DISPLAY DU TABLE DE ROBINETTES EN CARBONE

- MITIGEUR DE LAVABO EN CARBONE
- MITIGEUR DE LAVABO HAUT EN CARBONE
- MITIGEUR DE BIDET EN CARBONE

TABLE DISPLAY BASIN FAUCET CARBON

- RUBINETTO LAVABO CARBON
- RUBINETTO LAVABO ALTO CARBON
- RUBINETTO BIDET CARBON

B0040.001.51N




TABLE DISPLAY BASIN CONCEAL CARBON

- WALL-MOUNTED FAUCET BASIN CARBON
- CONCEALED SHOWER 2 WAYS CARBON

AUFSTELLER UNTERPUTZARMATUR AUS CARBON

- UNTERPUTZ ARMATUR AUS CARBON
- 2 WEGE-UNTERPUTZ ARMATUR AUS CARBON

DISPLAY DU TABLE MITIGEUR MURALE EN CARBONE

- MITIGUER DE LAVABO MURAL EN CARBONE
- MITIGEUR DE DOUCHE ENCASTRE DEUX VOIES EN CARBONE

TABLE DISPLAY BASIN CONCEAL CARBON

- RUBINETTO LAVABO INCASSO CARBON
- RUBINETTO INCASSO 2 VIE CARBON

B0041.001.51N




TABLE DISPLAY ACCESSORY CARBON

- TOWEL BAR 45 CM CARBON
- TOILET PAPER HOLDER CARBON
- TOWEL HOLDER CARBON
- TOWEL HOOK CARBON
- SOAP DISH CARBON
- TOILET BRUSH CARBON
- TOOTH BRUSH HOLDER DUO CARBON
- TOOTH BRUSH HOLDER CARBON

AUFSTELLER ZUBEHÖR AUS CARBON

- BADETUCHHALTER 45 CM CARBON
- PAPIERHALTER CARBON
- HANDTUCHHALTER CARBON
- HANDTUCHHAKEN CARBON
- SEIFENSCHALE CARBON
- WC BÜRSTENGARNITUR CARBON
- ZAHNBÜRSTENHALTER DUO CARBON
- ZAHNBÜRSTENHALTER CARBON


DISPLAY DU TABLE DES ACCESSOIRES EN CARBONE

- PORTE-SERVIETTE EN CARBONE
- PORTE-ROULEAU PAPIER EN CARBONE
- PORTE-SERVIETTE EN CARBONE
- PORTE-SERVIETTE SIMPLE EN CARBONE
- PORTE-SAVON EN CARBONE
- PORTE-BALAI SUSPENDU EN CARBONE
- PORTE-BROSSE A DENTS DUO EN CARBONE
- PORTE-BROSSE A DENTS EN CARBONE

TABLE DISPLAY ACCESSORY CARBON

- PORTA ASCIUGAMANO 45 CM CARBON
- PORTA ROTOLO CARBON
- PORTA ASCIUGAMANO CARBON
- PORTA ACCAPATOIO CARBON
- PORTA SAPONE CARBON
- PORTA SCOPINO CARBON
- PORTA BICCHIERE DUO CARBON
- PORTA BICCHIERE CARBON

B0042.001.51N



FAUCET DISPLAY

TABLE DISPLAY BASIN FAUCET CHROME

- FAUCET BASIN CHROME
- FAUCET BASIN TALL CHROME
- FAUCET BIDET CHROME

AUFSTELLER CHROM ARMATUREN

- WASCHTISCHARMATUR VERCHROMT
- HOHE WASCHTISCHARMATUR VERCHROMT
- BIDET ARMATUR VERCHROMT

DISPLAY DU TABLE DE ROBINETTES CHROME

- MITIGEUR DE LAVABO EN CHROME
- MITIGEUR DE LAVABO HAUT EN CHROME
- MITIGEUR DE BIDET EN CHROME

TABLE DISPLAY BASIN FAUCET CHROME

- RUBINETTO LAVABO CROMO
- RUBINETTO LAVABO ALTO CROMO
- RUBINETTO BIDET CROMO

B0040.001.05N




TABLE DISPLAY BASIN CONCEAL CHROME

- WALL-MOUNTED FAUCET BASIN CHROME
- CONCEALED SHOWER 2 WAYS CHROME

AUFSTELLER UNTERPUTZARMATUR VERCHROMT

- UNTERPUTZ ARMATUR VERCHROMT
- 2 WEGE-UNTERPUTZ ARMATUR VERCHROMT

DISPLAY DU TABLE MITIGEUR MURALE CHROME

- MITIGUER DE LAVABO MURAL EN CHROME
- MITIGEUR DE DOUCHE ENCASTRE DEUX VOIES EN CHROME

TABLE DISPLAY BASIN CONCEAL CHROME

- RUBINETTO LAVABO INCASSO CROMO
- RUBINETTO INCASSO 2 VIE CROMO

B0041.001.05N




TABLE DISPLAY ACCESSORY CHROME

- TOWEL BAR 45 CM CHROME
- TOILET PAPER HOLDER CHROME
- TOWEL HOLDER CHROME
- TOWEL HOOK CHROME
- SOAP DISH CHROME
- TOILET BRUSH CHROME
- TOOTH BRUSH HOLDER DUO CHROME
- TOOTH BRUSH HOLDER CHROME

AUFSTELLER ZUBEHÖR VERCHROMT

- BADETUCHHALTER 45 CM VERCHROMT
- PAPIERHALTER VERCHROMT
- HANDTUCHHALTER VERCHROMT
- HANDTUCHHAKEN VERCHROMT
- SEIFENSCHALE VERCHROMT
- WC BÜRSTENGARNITUR VERCHROMT
- ZAHNBÜRSTENHALTER DUO VERCHROMT
- ZAHNBÜRSTENHALTER VERCHROMT


DISPLAY DU TABLE DES ACCESSORIES CHROME

- PORTE-SERVIETTE EN CHROME
- PORTE-ROULEAU PAPIER EN CHROME
- PORTE-SERVIETTE EN CHROME
- PORTE-SERVIETTE SIMPLE EN CHROME
- PORTE-SAVON EN CHROME
- PORTE-BALAI SUSPENDU EN CHROME
- PORTE-BROSSE A DENTS DUO EN CHROME
- PORTE-BROSSE A DENTS EN CHROME

TABLE DISPLAY ACCESSORY CHROME

- PORTA ASCIUGAMANO 45 CM CROMO
- PORTA ROTOLO CROMO
- PORTA ASCIUGAMANO CROMO
- PORTA ACCAPATOIO CROMO
- PORTA SAPONE CROMO
- PORTA SCOPINO CROMO
- PORTA BICCHIERE DUO CROMO
- PORTA BICCHIERE CROMO

B0042.001.05N



42575001-60RN

CONNECTION HOSE DN8 70 CM

- HOSE WITH RED FABRIC FOR HOT WATER CONNECTION
- HEXAGONAL NUT 3/8" X M10X1 CONNECTION
- DVGW CERTIFIED

VERBINDUNGSSCHLAUCH DN8 70 CM

- SCHLAUCH MIT ROTEM GEWEBE FÜR WARMWASSERANSCHLUSS
- SECHSKANTMUTTER 3/8" X M10X1 ANSCHLUSS
- DVGW-ZERTIFIZIERT

FLEXIBLE DE CONNECTION DN8 70 CM

- FLEXIBLE AVEC TISSU ROUGE POUR LA CONNECTION DE L'EAU CHAUDE
- CERTIFIER DVGW

RACCORDO FLESSIBILE DN8 70 CM

- FLESSIBILE CON INTRECCIO ROSSO PER LA CONNESSIONE DELL'ACQUA CALDA
- CERTIFICATO DVGW



42575001-45RN

CONNECTION HOSE DN8 50 CM

- HOSE WITH RED FABRIC FOR HOT WATER CONNECTION
- HEXAGONAL NUT 3/8" X M10X1 CONNECTION
- DVGW CERTIFIED

VERBINDUNGSSCHLAUCH DN8 50 CM

- SCHLAUCH MIT ROTEM GEWEBE FÜR WARMWASSERANSCHLUSS
- SECHSKANTMUTTER 3/8" X M10X1 ANSCHLUSS
- DVGW-ZERTIFIZIERT

FLEXIBLE DE CONNECTION DN8 50 CM

- FLEXIBLE AVEC TISSU ROUGE POUR LA CONNECTION DE L'EAU CHAUDE
- CERTIFIER DVGW

RACCORDO FLESSIBILE DN8 50 CM

- FLESSIBILE CON INTRECCIO ROSSO PER LA CONNESSIONE DELL'ACQUA CALDA
- CERTIFICATO DVGW



42575001-60BN

CONNECTION HOSE DN8 70 CM

- HOSE WITH BLUE FABRIC FOR COLD WATER CONNECTION
- HEXAGONAL NUT 3/8" X M10X1 CONNECTION
- DVGW CERTIFIED

VERBINDUNGSSCHLAUCH DN8 70 CM

- SCHLAUCH MIT BLAUEM GEWEBE FÜR KALTWASSERANSCHLUSS
- SECHSKANTMUTTER 3/8" X M10X1 ANSCHLUSS
- DVGW-ZERTIFIZIERT

FLEXIBLE DE CONNECTION DN8 70 CM

- FLEXIBLE AVEC TISSU BLEU POUR LA CONNECTION DE L'EAU FROID
- CERTIFIER DVGW

RACCORDO FLESSIBILE DN8 70 CM

- FLESSIBILE CON INTRECCIO BLU PER LA CONNESSIONE DELL'ACQUA FREDDA
- CERTIFICATO DVGW



42575001-45BN

CONNECTION HOSE DN8 50 CM

- HOSE WITH BLUE FABRIC FOR COLD WATER CONNECTION
- HEXAGONAL NUT 3/8" X M10X1 CONNECTION
- DVGW CERTIFIED

VERBINDUNGSSCHLAUCH DN8 50 CM

- SCHLAUCH MIT BLAUEM GEWEBE FÜR KALTWASSERANSCHLUSS
- SECHSKANTMUTTER 3/8" X M10X1 ANSCHLUSS
- DVGW-ZERTIFIZIERT

FLEXIBLE DE CONNECTION DN8 50 CM

- FLEXIBLE AVEC TISSU BLEU POUR LA CONNECTION DE L'EAU FROID
- CERTIFIER DVGW

RACCORDO FLESSIBILE DN8 50 CM

- FLESSIBILE CON INTRECCIO BLU PER LA CONNESSIONE DELL'ACQUA FREDDA
- CERTIFICATO DVGW





ACCESSORIES

CORNER VALVE WITH ESCUTCHEON

DIMENSION:	MATERIAL:	LENGHT	COLOR
1/2" X Ø 10	CHROMED BRASS	45 mm	CHROME

ECK-REGULIERVENTIL MIT ROSETTE

DIMENSION:	MATERIAL:	LÄNGE	FARBE
1/2" X Ø 10	MESSING VERCHROM	45 mm	CHROM


VALVE D'ANGLE AVEC ROSACE

DIMENSION:	MATERIEL:	LONGUEUR	COULEUR
1/2" X Ø 10	LAITON CHROME	45 mm	CHROME

RUBINETTO SOTTOLAVABO CON ROSONE

DIMENSIONE:	MATERIALE:	LUNGHEZZA	COLORE
1/2" X Ø 10	OTTONE CROMATO	45 mm	CROMO

FAT.01.001.05N



CORNER VALVE

DIMENSION:	MATERIAL:	LENGHT	COLOR
1/2" X Ø 10	CHROMED BRASS	45 mm	BRASS

ECKREGULIERVENTIL

DIMENSION:	MATERIAL:	LÄNGE	FARBE
1/2" X Ø 10	MESSING VERCHROM	45 mm	MESSING


VALVE D'ANGLE

DIMENSION:	MATERIEL:	LONGUEUR	COULEUR
1/2" X Ø 10	LAITON CHROME	45 mm	LAITON

RUBINETTO SOTTOLAVABO

DIMENSIONI:	MATERIALE:	LUNGHEZZA	COLORE
1/2" X Ø 10	OTTONE CROMATO	45 mm	OTTONE

FAT.02.001.05N



CORNER VALVE WITH ESCUTCHEON

DIMENSION:	MATERIAL:	LENGHT	COLOR
1/2" X Ø 10	CHROMED BRASS	45 mm	CHROME

ECK-REGULIERVENTIL MIT ROSETTE

DIMENSION:	MATERIAL:	LÄNGE	FARBE
1/2" X Ø 10	MESSING VERCHROM	45 mm	CHROM


VALVE D'ANGLE AVEC ROSACE

DIMENSION:	MATERIEL:	LONGUEUR	COULEUR
1/2" X Ø 10	LAITON CHROME	45 mm	CHROME

VALVOLA AD ANGOLO CON REGOLAZIONE

DIMENSIONI:	MATERIALE:	LUNGHEZZA	COLORE
1/2" X Ø 10	OTTONE CROMATO	45 mm	CROMO

FAT.10.001.05N



ACCESSORIES

CORNER VALVE WITH ESCUTCHEON

DIMENSION:	MATERIAL:	LENGHT	COLOR
1/2" X 3/8"	CHROMED BRASS	45 mm	CHROME

ECK-REGULIERVENTIL MIT ROSETTE

DIMENSION:	MATERIAL:	LÄNGE	FARBE
1/2" X 3/8"	MESSING VERCHROMT	45 mm	CHROM


VALVE D'ANGLE AVEC ROSACE

DIMENSION:	MATERIAL:	LONGUEUR	COULEUR
1/2" X 3/8"	LAITON CHROME	45 mm	CHROME

RUBINETTO SOTTOLAVABO CON ROSONE

DIMENSIONI:	MATERIALE:	LUNGHEZZA	COLORE
1/2" X 3/8"	OTTONE CROMATO	45 mm	CROMO

FAT.11.001.05N



DOUBLE VALVE

DIMENSION:	MATERIAL:	LENGHT	COLOR
1/2" X Ø 10	CHROMED BRASS	45 mm	BRASS

DOPPELVENTIL

DIMENSION:	MATERIAL:	LÄNGE	FARBE
1/2" X Ø 10	MESSING VERCHROMT	45 mm	MESSING


DOUBLE VALVE

DIMENSION:	MATERIEL:	LONGUEUR	COULEUR
1/2" X Ø 10	LAITON CHROME	45 mm	LAITON

DOPPIA VALVOLA

DIMENSIONI:	MATERIALE:	LUNGHEZZA	COLORE
1/2" X Ø 10	OTTONE CROMATO	45 mm	OTTONE

FAT.20.001.05N



POP-UP

DIMENSION:	MATERIAL:	FARBE
Ø 63 mm - G 1" 1/4"	CHROMED BRASS	CHROME

ZUGSTANGEN ABLAUFGARNITUR

DIMENSION:	MATERIAL:	FARBE
Ø 63 mm - G 1" 1/4"	MESSING VERCHROMT	CHROM


BONDE À LEVIER

DIMENSION:	MATERIAL:	FARBE
Ø 63 mm - G 1" 1/4"	LAITON CHROME	CHROME

PILETTA DI SCARICO POP UP

DIMENSIONI:	MATERIALE:	COLORE
Ø 63 mm - G 1" 1/4"	OTTONE CROMATO	CROMO

FAP.01.001.05N



ACCESSORIES

CLICK-CLACK WITHOUT OVERFLOW

DIMENSION:	MATERIAL:	COLOR
Ø 63 mm - G 1" 1/4"	CHROMED BRASS	CHROME

SCHAFTVENTIL OHNE ÜBERLAUF

DIMENSION:	MATERIAL:	FARBE
Ø 63 mm - G 1" 1/4"	MESSING VERCHROMT	CHROM


BONDE SANS TROP-PLEIN

DIMENSION:	MATERIEL:	FARBE
Ø 63 mm - G 1" 1/4"	LAITON CHROME	CHROME

PILETTA DI SCARICO CLICK CLACK

DIMENSIONI:	MATERIALE:	COLORE
Ø 63 mm - G 1" 1/4"	OTTONE CROMATO	CROMO

FAP.02.001.05N



GRID DRAIN WITHOUT OVERFLOW

DIMENSION:	MATERIAL:	FARBE
Ø 63 mm - G 1" 1/4"	CHROMED BRASS	CHROME

SIEBVENTIL OHNE ÜBERLAUF

DIMENSION:	MATERIAL:	FARBE
Ø 63 mm - G 1" 1/4"	MESSING VERCHROMT	CHROM


BONDE À GRILLE SANS TROP-PLEIN

DIMENSION:	MATERIEL:	FARBE
Ø 63 mm - G 1" 1/4"	LAITON CHROME	CHROME

GRIGLIA DI SCARICO SENZA TROPPOPIENO

DIMENSIONI:	MATERIALE:	COLORE
Ø 63 mm - G 1" 1/4"	OTTONE CROMATO	CROMO

FAP.10.001.05N



GRID DRAIN WITH OVERFLOW

DIMENSION:	MATERIAL:	COLOR
Ø 63 mm - G 1" 1/4"	CHROMED BRASS	CHROME

SIEBVENTIL MIT ÜBERLAUF

DIMENSION:	MATERIAL:	FARBE
Ø 63 mm - G 1" 1/4"	MESSING VERCHROMT	CHROM


BONDE À GRILLE AVEC TROP-PLEIN

DIMENSION:	MATERIEL:	COULEUR
Ø 63 mm - G 1" 1/4"	LAITON CHROME	CHROME

GRIGLIA DI SCARICO CON TROPPOPIENO

DIMENSIONI:	MATERIALE:	COLORE
Ø 63 mm - G 1" 1/4"	OTTONE CROMATO	CROMO

FAP.11.001.05N



ACCESSORIES

SWISS S CONNECTION WITH STOP

DIMENSION:	MATERIAL:	LENGHT	COLOR
1/2"	CHROMED BRASS	45 mm	CHROME

ANSCHLUSS FÜR DIE SCHWEIZ MIT STOPP

DIMENSION:	MATERIAL:	LÄNGE	FARBE
1/2"	MESSING VERCHROMT	45 mm	CHROM


RACCORD POUR LA SUISSE AVEC STOP

DIMENSION:	MATERIEL:	LONGUEUR	FARBE
1/2"	LAITON CHROME	45 mm	CHROME

RACCORDO SVIZZERO CON STOP

DIMENSIONI:	MATERIALE:	LUNGHEZZA	COLORE
1/2"	OTTONE CROMATO	45 mm	CROMO

FAW.01.001.05N



⊕ Close / Geschlossen / Fermé / Chiuso
⊖ Open / Offen / Ouvert / Aperto

SWISS S CONNECTION WITHOUT STOP

DIMENSION:	MATERIAL:	LENGHT	COLOR
1/2"	CHROMED BRASS	45 mm	CHROME

ANSCHLUSS FÜR DIE SCHWEIZ OHNE STOPP

DIMENSION:	MATERIAL:	LÄNGE	FARBE
1/2"	MESSING VERCHROMT	45 mm	CHROM


RACCORD POUR LA SUISSE SANS STOP

DIMENSION:	MATERIEL:	LONGUEUR	FARBE
1/2"	LAITON CHROME	45 mm	CHROME

RACCORDO SVIZZERO SENZA STOP

DIMENSIONI:	MATERIALE:	LUNGHEZZA	COLORE
1/2"	OTTONE CROMATO	45 mm	CROMO

FAW.02.001.05N



S CONNECTION

DIMENSION	MATERIAL	LENGHT	COLOR
1/2"	CHROMED BRASS	45 mm	CHROME

S-ANSCHLUSS

DIMENSION	MATERIAL	LÄNGE	FARBE
1/2"	MESSING VERCHROMT	45 mm	CHROM



L'EXCENTRIQUE

DIMENSION	MATERIEL	LONGUEUR	FARBE
1/2"	LAITON CHROME	45 mm	CHROME

RACCORDO ECCENTRICO

DIMENSIONI	MATERIALE	LUNGHEZZA	COLORE
1/2"	OTTONE CROMATO	45 mm	CROMO

FAW.03.001.05N



ACCESSORIES

SIPHON ABS WHITE

DIMENSION:
G 1" 1/4" - Ø 32 mm
DRAINPIPE 350 mm

MATERIAL:
ABS WHITE

COLOR
WHITE

SIPHON ABS WEISS

DIMENSION:
G 1" 1/4" - Ø 32 mm
ABGANGSROHR 350 mm

MATERIAL:
WEISS ABS

FARBE
WEISS

SIPHON ABS BLANC

DIMENSION:
G 1" 1/4" - Ø 32 mm
DEGORGEOIR 350 mm

MATERIEL:
ABS BLANC

COULEUR
BLANC


SIFONE ABS BIANCO

DIMENSIONI:
G 1" 1/4" - Ø 32 mm
LUNGHEZZA 350 mm

MATERIALE:
ABS BIANCO

COLORE
BIANCO

FAS.01.001.00N



SIPHON ABS CHROME

DIMENSION:
G 1" 1/4" - Ø 32 mm
DRAINPIPE 350 mm

MATERIAL:
CHROMED ABS

COLOR
CHROM

DESIGN-SIFON ABS

DIMENSION:
G 1" 1/4" - Ø 32 mm
ABGANGSROHR 350 mm

MATERIAL:
ABS VERCHROMT

FARBE
CHROM

SIPHON ABS BLANC

DIMENSION:
G 1" 1/4" - Ø 32 mm
DEGORGEOIR 350 mm

MATERIEL:
ABS CHROME

COULEUR
CHROME


SIFONE ABS CROMO

DIMENSIONI:
G 1" 1/4" - Ø 32 mm
LUNGHEZZA 350 mm

MATERIALE:
ABS CROMO

COLORE
CROMO

FAS.02.001.00N



SIPHON CHROMED BRASS

DIMENSION
G 1" 1/4" - Ø 32 mm
DRAINPIPE 350 mm

MATERIAL
CHROMED BRASS

COLOR
CHROME

SIFON MESSING VERCHROMT

DIMENSION
G 1" 1/4" - Ø 32 mm
ABGANGSROHR 350 mm

MATERIAL
MESSING VERCHROMT

FARBE
CHROM

SIPHON LAITON CHROME

DIMENSION
G 1" 1/4" - Ø 32 mm
DEGORGEOIR 350 mm

MATERIAL
LAITON CHROME

COULEUR
CHROME


SIFONE OTTONE CROMATO

DIMENSIONI
G 1" 1/4" - Ø 32 mm
LUNGHEZZA 350 mm

MATERIALE
OTTONE CROMATO

COLORE
CROMO

FAS.03.001.00N





SHOWER HOSES

PLASTIC SHOWER HOSE, REINFORCED WITH FABRIC, CHROME-PLATED PVC FREE
 KUNSTSTOFFBRAUSESCHLAUCH GEWEBEVERSTÄRKT CHROM PVC FREI
 FLEXIBLE DOUCHETTE EN PLASTIQUE, RENFORCE AVEC TISSU, CHROME SANS PVC
 FLESSIBILE DOCCIA IN PLASTICA, RINFORZATO CON TESSUTO, CROMATO SENZA PVC

S14.301.301.125.03N	1,25 m
S14.301.301.150.03N	1,50 m
S14.301.301.175.03N	1,75 m
S14.301.301.200.03N	2,00 m

S14 W270



PLASTIC SHOWER HOSE, REINFORCED WITH FABRIC, CHROME-PLATED PVC
 KUNSTSTOFFBRAUSESCHLAUCH GEWEBEVERSTÄRKT CHROM PVC
 FLEXIBLE DOUCHETTE EN PLASTIQUE, RENFORCE AVEC TISSU, CHROME PVC
 FLESSIBILE DOCCIA IN PLASTICA, RINFORZATO CON TESSUTO, CROMATO PVC

S06.301.303.125.03N	1,25 m
S06.301.303.150.03N	1,50 m
S06.301.303.175.03N	1,75 m
S06.301.303.200.03N	2,00 m

S06



PLASTIC SHOWER HOSE, REINFORCED WITH FABRIC, BRUSHED NICKEL
 KUNSTSTOFFBRAUSESCHLAUCH GEWEBEVERSTÄRKT GEBÜRSTETEM NICKEL
 FLEXIBLE DOUCHETTE EN PLASTIQUE, RENFORCE AVEC TISSU, NICKEL BROSSE
 FLESSIBILE DOCCIA IN PLASTICA, RINFORZATO CON TESSUTO, NICKEL SPAZZOLATO

S06.301.303.125.34N	1,25 m
S06.301.303.150.34N	1,50 m
S06.301.303.175.34N	1,75 m
S06.301.303.200.34N	2,00 m

S06



SHOWER HOSES

PLASTIC SHOWER HOSE - REINFORCED WITH WHITE FABRIC PVC
KUNSTSTOFFBRAUSESCHLAUCH GEWEBEVERSTÄRKT WEISS PVC
FLEXIBLE DOUCHETTE EN PLASTIQUE - RENFORCE AVEC TISSU BLANC PVC
FLESSIBILE IN PLASTICA DOCCIA - RINFORZATO CON TESSUTO BIANCO PVC

S05.311.311.125.01N	1,25 m
S05.311.311.150.01N	1,50 m
S05.311.311.175.01N	1,75 m
S05.311.311.200.01N	2,00 m

S05



PLASTIC SHOWER HOSE - REINFORCED WITH BLACK FABRIC PVC
KUNSTSTOFFBRAUSESCHLAUCH GEWEBEVERSTÄRKT SCHWARZ
FLEXIBLE DOUCHETTE EN PLASTIQUE - RENFORCE AVEC TISSU NOIR PVC
FLESSIBILE IN PLASTICA DOCCIA - RINFORZATO CON TESSUTO NERO PVC

S05.311.311.125.17N	1,25 m
S05.311.311.150.17N	1,50 m
S05.311.311.175.17N	1,75 m
S05.311.311.200.17N	2,00 m

S05



QUADRO PLASTIC SHOWER HOSE WITH 2 mm BAND CHROME-PLATED/TRANSPARENT
KUNSTSTOFFBRAUSESCHLAUCH QUADRO MIT 2 mm BAND CHROM/TRANSPARENT
FLEXIBLE DOUCHETTE EN PLASTIQUE QUADRO AVEC BANDE DE 2 mm CHROME/TRANSPARENT
FLESSIBILE IN PLASTICA DOCCIA QUADRO CON NASTRO DA 2 mm CROMATO/TRASPARENTE

S22.301.301.125.05N	1,25 m
S22.301.301.150.05N	1,50 m
S22.301.301.175.05N	1,75 m
S22.301.301.200.05N	2,00 m

S22



HOSES

QUADRO PLASTIC SHOWER HOSE WITH 2 mm BAND CHROME-PLATED/BLACK
KUNSTSTOFFBRAUSESCHLAUCH QUADRO MIT 2 mm BAND CHROM/SCHWARZ
FLEXIBLE DOUCHETTE EN PLASTIQUE QUADRO AVEC BANDE DE 2 mm CHROME/NOIR
FLESSIBILE IN PLASTICA DOCCIA QUADRO CON NASTRO DA 2 mm CROMATO/NERO

S22.301.301.125.02N	1,25 m
S22.301.301.150.02N	1,50 m
S22.301.301.175.02N	1,75 m
S22.301.301.200.02N	2,00 m

S22



PLASTIC SHOWER HOSE WITH 2 mm BAND CHROME/TRANSPARENT
KUNSTSTOFFBRAUSESCHLAUCH MIT 2 mm BAND CHROM/TRANSPARENT FLEXIBLE
DOUCHETTE EN PLASTIQUE AVEC BANDE DE 2 mm CHROME/TRANSPARENT
FLESSIBILE IN PLASTICA DOCCIA CON NASTRO DA 2 mm CROMATO/TRASPARENTE

S04.301.301.125.05N	1,25 m
S04.301.301.150.05N	1,50 m
S04.301.301.175.05N	1,75 m
S04.301.301.200.05N	2,00 m

S04



PLASTIC SHOWER HOSE WITH REINFORCED EXTERNAL BAND CHROME/BLACK
KUNSTSTOFFBRAUSESCHLAUCH MIT STRUKTURIERTER AUSSENHAUT CHROM/SCHWARZ
FLEXIBLE DOUCHETTE EN PLASTIQUE AVEC PELLICULE EXTERNE STRUCTUREE CHROME/NOIR
FLESSIBILE IN PLASTICA DOCCIA CON PELLICOLA ESTERNA STRUTTURATA CROMATO/NERO

S07.301.301.125.02N	1,25 m
S07.301.301.150.02N	1,50 m
S07.301.301.175.02N	1,75 m
S07.301.301.200.02N	2,00 m

S07



HOSES

PLASTIC SHOWER HOSE WITH 3 mm BAND CHROME-PLATED/TRANSPARENT
KUNSTSTOFFBRAUSESCHLAUCH MIT 3 mm BAND CHROM/TRANSPARENT
FLEXIBLE DOUCHETTE EN PLASTIQUE AVEC BANDE DE 3 mm CHROME/TRANSPARENT
FLESSIBILE IN PLASTICA DOCCIA CON NASTRO DA 3 mm CROMATO/TRASPARENTE

S02.301.301.125.05N	1,25 m
S02.301.301.150.05N	1,50 m
S02.301.301.175.05N	1,75 m
S02.301.301.200.05N	2,00 m

PLASTIC SHOWER HOSE WITH 3 mm BAND CHROME-PLATED/BLACK
KUNSTSTOFFBRAUSESCHLAUCH MIT 3 mm BAND CHROM/SCHWARZ
FLEXIBLE DOUCHETTE EN PLASTIQUE AVEC BANDE DE 3 mm CHROME/NOIR
FLESSIBILE IN PLASTICA DOCCIA CON NASTRO DA 3 mm CROMATO/NERO

S02.301.301.125.02N	1,25 m
S02.301.301.150.02N	1,50 m
S02.301.301.175.02N	1,75 m
S02.301.301.200.02N	2,00 m

METAL, DOUBLE INTERLOCK FLEXIBLE HOSE
METALLSCHLAUCH DOPPELAGRAFF
FLEXIBLE EN METAL DOUBLE AGRAFAGE
FLESSIBILE IN METALLO DOPPIA AGGRAFFATURA

S11.307.301.125.03N	1,25 m
S11.307.301.150.03N	1,50 m
S11.307.301.175.03N	1,75 m
S11.307.301.200.03N	2,00 m

S02




S02




S22








	CODE BCF-D15-16 - CHECK VALVE Ø15 mm, 16 L/MIN	WHITE/RED
	CODE BCF-D15-14 - CHECK VALVE Ø15 mm, 14 L/MIN	WHITE/BROWN
	CODE BCF-D15-12 - CHECK VALVE Ø15 mm, 12 L/MIN	WHITE/WHITE
	CODE BCF-D15-10 - CHECK VALVE Ø15 mm, 10 L/MIN	WHITE/ORANGE
	CODE BCF-D15-9 - CHECK VALVE Ø15 mm, 9 L/MIN	WHITE/GREY
	CODE BCF-D15-8 - CHECK VALVE Ø15 mm, 8 L/MIN	WHITE/LIGHT BROWN
	CODE BCF-D15-6 - CHECK VALVE Ø15 mm, 6 L/MIN	WHITE/GREEN
	CODE BCF-D15-4 - CHECK VALVE Ø15 mm, 4 L/MIN	WHITE/LIGHT BLUE
	CODE BCF-D15-2.5 - CHECK VALVE Ø15 mm, 2.5 GPM	WHITE/VIOLET
	CODE BCF-D15-2.2 - CHECK VALVE Ø15 mm, 2.2 GPM	WHITE/DARK GREY
	CODE BCF-D15-2.0 - CHECK VALVE Ø15 mm, 2.0 GPM	WHITE/BLUE
	CODE BCF-D15-1.75 - CHECK VALVE Ø15 mm, 1.75 GPM	WHITE/YELLOW
	CODE BCF-D15-1.5 - CHECK VALVE Ø15 mm, 1.5 GPM	WHITE/LIGHT GREY



	CODE BCF-D14-16 - CHECK VALVE Ø14 mm, 16 L/MIN	WHITE/RED
	CODE BCF-D14-14 - CHECK VALVE Ø14 mm, 14 L/MIN	WHITE/BROWN
	CODE BCF-D14-12 - CHECK VALVE Ø14 mm, 12 L/MIN	WHITE/WHITE
	CODE BCF-D14-10 - CHECK VALVE Ø14 mm, 10 L/MIN	WHITE/ORANGE
	CODE BCF-D14-9 - CHECK VALVE Ø14 mm, 9 L/MIN	WHITE/GREY
	CODE BCF-D14-8 - CHECK VALVE Ø14 mm, 8 L/MIN	WHITE/LIGHT BROWN
	CODE BCF-D14-6 - CHECK VALVE Ø14 mm, 6 L/MIN	WHITE/GREEN
	CODE BCF-D14-4 - CHECK VALVE Ø14 mm, 4 L/MIN	WHITE/LIGHT BLUE
	CODE BCF-D14-2.5 - CHECK VALVE Ø14 mm, 2.5 GPM	WHITE/VIOLET
	CODE BCF-D14-2.2 - CHECK VALVE Ø14 mm, 2.2 GPM	WHITE/DARK GREY
	CODE BCF-D14-2.0 - CHECK VALVE Ø14 mm, 2.0 GPM	WHITE/BLUE
	CODE BCF-D14-1.75 - CHECK VALVE Ø14 mm, 1.75 GPM	WHITE/YELLOW
	CODE BCF-D14-1.5 - CHECK VALVE Ø14 mm, 1.5 GPM	WHITE/LIGHT GREY



THERMOSTATIC FAUCET




SINGLE LEVER



CODE BCV-D15-00 - CHECK VALVE Ø15 mm



CODE BCV-D14-00 - CHECK VALVE Ø14 mm




HOSE



CODE BCV-D10-00 - CHECK VALVE Ø10 mm



BASIN FAUCET CARBON AND CHROME




OPERATIVE PRESSURE MAX 5 BAR, TEMPERATURE MAX 65° C
BETRIEBSDRUCK MAX 5 BAR, TEMPERATURE MAX 65° C
PRESSION D'OPERATIVE MAX 5 BAR, TEMPERATURE MAX 65° C
PRESSIONE MASSIMA OPERATIVA 5 BAR, TEMPERATURA MAX 65° C

		1	2	3	4	5	6	7	8	9	10
bar	0	0,50	1,00	1,50	2,00	2,50	3,00	3,50	4,00	4,50	5,00
l/min	0	4,25	6,39	8,01	9,28	10,37	11,58	12,49	13,41	14,26	15,05



BASIN FAUCET TALL CARBON AND CHROME




OPERATIVE PRESSURE MAX 5 BAR, TEMPERATURE MAX 65° C
BETRIEBSDRUCK MAX 5 BAR, TEMPERATURE MAX 65° C
PRESSION D'OPERATIVE MAX 5 BAR, TEMPERATURE MAX 65° C
PRESSIONE MASSIMA OPERATIVA 5 BAR, TEMPERATURA MAX 65° C

		1	2	3	4	5	6	7	8	9	10
bar	0	0,50	1,00	1,50	2,00	2,50	3,00	3,50	4,00	4,50	5,00
l/min	0	4,35	6,31	7,88	9,06	10,28	11,32	12,29	13,17	14,00	14,78

FLOW RATES



FAUCET BIDET CARBON AND CHROME




OPERATIVE PRESSURE MAX 5 BAR, TEMPERATURE MAX 65° C
 BETRIEBSDRUCK MAX 5 BAR, TEMPERATURE MAX 65° C
 PRESSION D'OPERATIVE MAX 5 BAR, TEMPERATURE MAX 65° C
 PRESSIONE MASSIMA OPERATIVA 5 BAR, TEMPERATURA MAX 65° C

		1	2	3	4	5	6	7	8	9	10
bar	0	0,50	1,00	1,50	2,00	2,50	3,00	3,50	4,00	4,50	5,00
l/min	0	4,27	6,27	7,98	9,28	10,48	11,52	12,54	13,35	14,24	15,07



WALL MOUNTED FAUCET BASIN CARBON AND CHROME




OPERATIVE PRESSURE MAX 5 BAR, TEMPERATURE MAX 65° C
 BETRIEBSDRUCK MAX 5 BAR, TEMPERATURE MAX 65° C
 PRESSION D'OPERATIVE MAX 5 BAR, TEMPERATURE MAX 65° C
 PRESSIONE MASSIMA OPERATIVA 5 BAR, TEMPERATURA MAX 65° C

		1	2	3	4	5	6	7	8	9	10
bar	0	0,50	1,00	1,50	2,00	2,50	3,00	3,50	4,00	4,50	5,00
l/min	0	2,91	4,66	5,73	6,68	7,47	8,21	8,99	9,68	10,33	10,90

FLOW RATES




CONCEALED 2 WAYS CARBON AND CHROME




OPERATIVE PRESSURE MAX 5 BAR,
TEMPERATURE MAX 65° C
BETRIEBSDRUCK MAX 5 BAR,
TEMPERATURE MAX 65° C
PRESSION D'OPERATIVE MAX 5 BAR,
TEMPERATURE MAX 65° C
PRESSIONE MASSIMA OPERATIVA 5 BAR,
TEMPERATURA MAX 65° C

Bar	0	0,50	1,00	1,50	2,00	2,50	3,00	3,50	4,00	4,50	5,00
Hand Shower	0	5,45	7,78	9,51	11,07	12,58	13,94	15,04	16,04	17,25	18,26
Head Shower	0	4,79	7,50	9,35	10,94	12,28	13,61	14,68	15,79	16,79	17,66






FAUCET BASIN CARBON




FAUCET BASIN TALL CARBON




FAUCET BIDET CARBON



1




2




REPLACEMENT HOSES AND CARTRIDGE




Tightening torque $10 \div 12\text{Nm}$
Drehmoment $10 \div 12\text{Nm}$
Force de serrage $10 \div 12\text{Nm}$
Forza di serraggio $10 \div 12\text{Nm}$





FAUCET BASIN CHROME





FAUCET BASIN TALL CHROME





FAUCET BIDET CHROME



REPLACEMENT HOSES AND CARTRIDGE




Tightening torque 10 ÷ 12Nm
Drehmoment 10 ÷ 12Nm
Force de serrage 10 ÷ 12Nm
Forza di serraggio 10 ÷ 12Nm




WALL-MOUNTED FAUCET BASIN


1





2





3




4






FAUCET BATH


1 INTERNATIONAL



SWISS




2





3

INTERNATIONAL




SWISS






WALL-MOUNTED FAUCET BASIN


1




2




3




4




5




6





7



CARTRIDGE REPLACEMENT
KARTUSCHENWECHSEL
REMPLACEMENT DE LA CARTOUCHE
SOSTITUZIONE CARTUCCIA




Tightening torque $10 \div 12\text{Nm}$
Drehmoment $10 \div 12\text{Nm}$
Force de serrage $10 \div 12\text{Nm}$
Forza di serraggio $10 \div 12\text{Nm}$




SINGLE LEVER SHOWER MIXER

1

INTERNATIONAL




SWISS




2

INTERNATIONAL





SWISS




CLOSE
GESCHLOSSEN
FERMÉ
CHIUSO

OPEN
OFFEN
OUVERT
APERTO




3

INTERNATIONAL



SWISS




OPEN ONLY AFTER ASSEMBLY THE KIT
ÖFFNEN ERST NACH MONTAGE-KIT
OUVERTE SEULEMENT APRÈS UN KIT DE
MONTAGE
APRIRE SOLO DOPO IL MONTAGGIO
DEL KIT




x 2





PURE




TECHNO


THERMOSTATIC 1 WAY

1

INTERNATIONAL




SWISS




2

INTERNATIONAL




SWISS




3

INTERNATIONAL





SWISS




OPEN ONLY AFTER ASSEMBLY THE KIT
ÖFFNEN ERST NACH MONTAGE-KIT
OUVERTE SEULEMENT APRÈS UN KIT DE
MONTAGE
APRIRE SOLO DOPO IL MONTAGGIO
DEL KIT



x 2



x 2







Nikles Inter AG

Arlesheimerstrasse 5 | CH-4147 Aesch / Basel - Switzerland
Phone +41 61 726 88 66 - Fax +41 61 726 88 69
info@nikles.com - www.nikles.com

Nikles Group is one of the leading shower equipment manufacturers and suppliers. Nikles is a Swiss family owned corporation, which was founded in 1982 by today's president Mr. Gerhard Nikles.

To date, **Nikles** remains a 100% family owned business with sales organizations in Switzerland, Italy, USA, China, Thailand, Australia and New Zealand as well as in Germany.

We manufacture quality products that are sustainable and durable. Our main distribution and production centers for our **Nikles** products are located in Italy and China.

Our clients all around the world, such as up-market manufacturers and

leading retailers are sourcing hand showers, shower heads, slide bars, shower systems and kitchen sprays from us, as well as flow limiters and check valves.

Nikles consistently re-invests profit largely back into research and development, resulting in a continuous stream of new products and technologies. We are committed to maintain and to expand our position as a technology partner.

Nikles prides itself to be one of the first to provide products that are trendsetting and state of the art design.

Nikles your partner for showers.



Nikles Tec Italia Srl

Via Alessandro Volta, 2
Z.I. Cornali
I-25013 Carpenedolo (Bs) - Italy
Ph. +39 030 96 98 716
Fax +39 030 99 66 505
info@nikles.com
www.nikles.com



Nikles Xiamen Shower Components Co. Ltd.

Building 15, No.2881 Dongfu Road
Haitou Dongfu Industrial Park
Haicang Zone
361027 Xiamen City - China
Phone +86 592 6195961
info@nikles.com
www.nikles.com



Nikles Showers (Thailand) Co. Ltd.

382 Nice Building 1, 2A Floor, Racha-dapisek Rd.
Huai Khwang, Bangkok
10310 - Thailand
Phone +662 693 1031-33
Fax +662 693 1034
info@nikles.com
www.nikles.com



Nikles (USA) Inc.

1725 Corporate Drive, Suite 335
Norcross, GA 30093 - USA
Phone +1 (678) 668-8103
info@nikles.com
www.nikles.com

